

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions			Rough Opening			DP Rating	Daylight
	Width		Height	Width		Height		
1030	12	x	35 3/4	12 1/2	x	36 1/4	DP-80	1.6
1032	12	x	37 3/4	12 1/2	x	38 1/4	DP-80	1.7
1038	12	x	43 3/4	12 1/2	x	44 1/4	DP-80	2.0
1040	12	x	47 3/4	12 1/2	x	48 1/4	DP-80	2.3
1042	12	x	49 3/4	12 1/2	x	50 1/4	DP-50	2.4
1046	12	x	53 3/4	12 1/2	x	54 1/4	DP-50	2.6
1050	12	x	59 3/4	12 1/2	x	60 1/4	DP-50	2.9
1052	12	x	61 3/4	12 1/2	x	62 1/4	DP-50	3.0
1056	12	x	65 3/4	12 1/2	x	66 1/4	DP-50	3.2
1060	12	x	71 3/4	12 1/2	x	72 1/4	DP-50	3.5
1062	12	x	73 3/4	12 1/2	x	74 1/4	DP-50	3.6
1830	19 5/8	x	35 3/4	20 1/8	x	36 1/4	DP-80	3.3
1832	19 5/8	x	37 3/4	20 1/8	x	38 1/4	DP-80	3.5
1838	19 5/8	x	43 3/4	20 1/8	x	44 1/4	DP-80	4.1
1840	19 5/8	x	47 3/4	20 1/8	x	48 1/4	DP-80	4.5
1842	19 5/8	x	49 3/4	20 1/8	x	50 1/4	DP-50	4.8
1846	19 5/8	x	53 3/4	20 1/8	x	54 1/4	DP-50	5.2
1850	19 5/8	x	59 3/4	20 1/8	x	60 1/4	DP-50	5.8
1852	19 5/8	x	61 3/4	20 1/8	x	62 1/4	DP-50	6.0
1856	19 5/8	x	65 3/4	20 1/8	x	66 1/4	DP-50	6.4
1860	19 5/8	x	71 3/4	20 1/8	x	72 1/4	DP-50	7.1
1862	19 5/8	x	73 3/4	20 1/8	x	74 1/4	DP-50	7.3
11030	21 5/8	x	35 3/4	22 1/8	x	36 1/4	DP-80	3.7
11032	21 5/8	x	37 3/4	22 1/8	x	38 1/4	DP-80	4.0
11038	21 5/8	x	43 3/4	22 1/8	x	44 1/4	DP-80	4.7
11040	21 5/8	x	47 3/4	22 1/8	x	48 1/4	DP-80	5.1
11042	21 5/8	x	49 3/4	22 1/8	x	50 1/4	DP-50	5.4
11046	21 5/8	x	53 3/4	22 1/8	x	54 1/4	DP-50	5.9
11050	21 5/8	x	59 3/4	22 1/8	x	60 1/4	DP-50	6.6
11052	21 5/8	x	61 3/4	22 1/8	x	62 1/4	DP-50	6.8
11056	21 5/8	x	65 3/4	22 1/8	x	66 1/4	DP-50	7.3
11060	21 5/8	x	71 3/4	22 1/8	x	72 1/4	DP-50	8.0
11062	21 5/8	x	73 3/4	22 1/8	x	74 1/4	DP-50	8.2

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions				Rough Opening				DP Rating			
	Width		Height		Width		Height		Equal	Daylight		
2030	23	5/8	x	35	3/4	24	1/8	x	36	1/4	DP-80	4.2
2032	23	5/8	x	37	3/4	24	1/8	x	38	1/4	DP-80	4.4
2038	23	5/8	x	43	3/4	24	1/8	x	44	1/4	DP-80	5.2
2040	23	5/8	x	47	3/4	24	1/8	x	48	1/4	DP-80	5.7
2042	23	5/8	x	49	3/4	24	1/8	x	50	1/4	DP-50	6.0
2046	23	5/8	x	53	3/4	24	1/8	x	54	1/4	DP-50	6.5
2050	23	5/8	x	59	3/4	24	1/8	x	60	1/4	DP-50	7.3
2052	23	5/8	x	61	3/4	24	1/8	x	62	1/4	DP-50	7.6
2056	23	5/8	x	65	3/4	24	1/8	x	66	1/4	DP-50	8.1
2060	23	5/8	x	71	3/4	24	1/8	x	72	1/4	DP-50	8.9
2062	23	5/8	x	73	3/4	24	1/8	x	74	1/4	DP-50	9.2
2230	25	5/8	x	35	3/4	26	1/8	x	36	1/4	DP-80	4.6
2232	25	5/8	x	37	3/4	26	1/8	x	38	1/4	DP-80	4.9
2238	25	5/8	x	43	3/4	26	1/8	x	44	1/4	DP-80	5.8
2240	25	5/8	x	47	3/4	26	1/8	x	48	1/4	DP-80	6.3
2242	25	5/8	x	49	3/4	26	1/8	x	50	1/4	DP-50	6.6
2246	25	5/8	x	53	3/4	26	1/8	x	54	1/4	DP-50	7.2
2250	25	5/8	x	59	3/4	26	1/8	x	60	1/4	DP-50	8.1
2252	25	5/8	x	61	3/4	26	1/8	x	62	1/4	DP-50	8.4
2256	25	5/8	x	65	3/4	26	1/8	x	66	1/4	DP-50	9.0
2260	25	5/8	x	71	3/4	26	1/8	x	72	1/4	DP-50	9.9
2262	25	5/8	x	73	3/4	26	1/8	x	74	1/4	DP-50	10.2
2430	27	5/8	x	35	3/4	28	1/8	x	36	1/4	DP-80	5.0
2432	27	5/8	x	37	3/4	28	1/8	x	38	1/4	DP-80	5.3
2438	27	5/8	x	43	3/4	28	1/8	x	44	1/4	DP-80	6.3
2440	27	5/8	x	47	3/4	28	1/8	x	48	1/4	DP-80	6.9
2442	27	5/8	x	49	3/4	28	1/8	x	50	1/4	DP-50	7.3
2446	27	5/8	x	53	3/4	28	1/8	x	54	1/4	DP-50	7.9
2450	27	5/8	x	59	3/4	28	1/8	x	60	1/4	DP-50	8.9
2452	27	5/8	x	61	3/4	28	1/8	x	62	1/4	DP-50	9.2
2456	27	5/8	x	65	3/4	28	1/8	x	66	1/4	DP-50	9.8
2460	27	5/8	x	71	3/4	28	1/8	x	72	1/4	DP-50	10.8

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions			Rough Opening			DP Rating		Daylight
	Width		Height	Width		Height	Equal		
2462	27	5/8	x 73 3/4	28	1/8	x 74 1/4	DP-50		11.1
2630	29	5/8	x 35 3/4	30	1/8	x 36 1/4	DP-80		5.5
2632	29	5/8	x 37 3/4	30	1/8	x 38 1/4	DP-80		5.8
2638	29	5/8	x 43 3/4	30	1/8	x 44 1/4	DP-80		6.8
2640	29	5/8	x 47 3/4	30	1/8	x 48 1/4	DP-80		7.5
2642	29	5/8	x 49 3/4	30	1/8	x 50 1/4	DP-50		7.9
2646	29	5/8	x 53 3/4	30	1/8	x 54 1/4	DP-50		8.6
2650	29	5/8	x 59 3/4	30	1/8	x 60 1/4	DP-50		9.6
2652	29	5/8	x 61 3/4	30	1/8	x 62 1/4	DP-50		10.0
2656	29	5/8	x 65 3/4	30	1/8	x 66 1/4	DP-50		10.7
2660	29	5/8	x 71 3/4	30	1/8	x 72 1/4	DP-50		11.7
2662	29	5/8	x 73 3/4	30	1/8	x 74 1/4	DP-50		12.1
2830	31	5/8	x 35 3/4	32	1/8	x 36 1/4	DP-80		5.9
2832	31	5/8	x 37 3/4	32	1/8	x 38 1/4	DP-80		6.3
2838	31	5/8	x 43 3/4	32	1/8	x 44 1/4	DP-80		7.4
2840	31	5/8	x 47 3/4	32	1/8	x 48 1/4	DP-80		8.1
2842	31	5/8	x 49 3/4	32	1/8	x 50 1/4	DP-50		8.5
2846	31	5/8	x 53 3/4	32	1/8	x 54 1/4	DP-50		9.3
2850	31	5/8	x 59 3/4	32	1/8	x 60 1/4	DP-50		10.4
2852	31	5/8	x 61 3/4	32	1/8	x 62 1/4	DP-50		10.8
2856	31	5/8	x 65 3/4	32	1/8	x 66 1/4	DP-50		11.5
2860	31	5/8	x 71 3/4	32	1/8	x 72 1/4	DP-50		12.7
2862	31	5/8	x 73 3/4	32	1/8	x 74 1/4	DP-50		13.0
21030	33	5/8	x 35 3/4	34	1/8	x 36 1/4	DP-80		6.3
21032	33	5/8	x 37 3/4	34	1/8	x 38 1/4	DP-80		6.7
21038	33	5/8	x 43 3/4	34	1/8	x 44 1/4	DP-80		7.9
21040	33	5/8	x 47 3/4	34	1/8	x 48 1/4	DP-80		8.7
21042	33	5/8	x 49 3/4	34	1/8	x 50 1/4	DP-50		9.2
21046	33	5/8	x 53 3/4	34	1/8	x 54 1/4	DP-50		10.0
21050	33	5/8	x 59 3/4	34	1/8	x 60 1/4	DP-50		11.2
21052	33	5/8	x 61 3/4	34	1/8	x 62 1/4	DP-50		11.6
21056	33	5/8	x 65 3/4	34	1/8	x 66 1/4	DP-50		12.4

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions				Rough Opening				DP Rating	Daylight		
	Width		Height		Width		Height		Equal			
<b>21060</b>	33	5/8	x	71	3/4	34	1/8	x	72	1/4	DP-50	13.6
<b>21062</b>	33	5/8	x	73	3/4	34	1/8	x	74	1/4	DP-50	14.0
<b>3030</b>	35	5/8	x	35	3/4	36	1/8	x	36	1/4	DP-80	6.8
<b>3032</b>	35	5/8	x	37	3/4	36	1/8	x	38	1/4	DP-80	7.2
<b>3038</b>	35	5/8	x	43	3/4	36	1/8	x	44	1/4	DP-80	8.5
<b>3040</b>	35	5/8	x	47	3/4	36	1/8	x	48	1/4	DP-80	9.3
<b>3042</b>	35	5/8	x	49	3/4	36	1/8	x	50	1/4	DP-50	9.8
<b>3046</b>	35	5/8	x	53	3/4	36	1/8	x	54	1/4	DP-50	10.6
<b>3050</b>	35	5/8	x	59	3/4	36	1/8	x	60	1/4	DP-50	11.9
<b>3052</b>	35	5/8	x	61	3/4	36	1/8	x	62	1/4	DP-50	12.4
<b>3056</b>	35	5/8	x	65	3/4	36	1/8	x	66	1/4	DP-50	13.2
<b>3060</b>	35	5/8	x	71	3/4	36	1/8	x	72	1/4	DP-50	14.5
<b>3062</b>	35	5/8	x	73	3/4	36	1/8	x	74	1/4	DP-50	15.0
<b>3230</b>	37	5/8	x	35	3/4	38	1/8	x	36	1/4	DP-80	7.2
<b>3232</b>	37	5/8	x	37	3/4	38	1/8	x	38	1/4	DP-80	7.6
<b>3238</b>	37	5/8	x	43	3/4	38	1/8	x	44	1/4	DP-80	9.0
<b>3240</b>	37	5/8	x	47	3/4	38	1/8	x	48	1/4	DP-80	9.9
<b>3242</b>	37	5/8	x	49	3/4	38	1/8	x	50	1/4	DP-50	10.4
<b>3246</b>	37	5/8	x	53	3/4	38	1/8	x	54	1/4	DP-50	11.3
<b>3250</b>	37	5/8	x	59	3/4	38	1/8	x	60	1/4	DP-50	12.7
<b>3252</b>	37	5/8	x	61	3/4	38	1/8	x	62	1/4	DP-50	13.2
<b>3256</b>	37	5/8	x	65	3/4	38	1/8	x	66	1/4	DP-50	14.1
<b>3260</b>	37	5/8	x	71	3/4	38	1/8	x	72	1/4	DP-50	15.5
<b>3262</b>	37	5/8	x	73	3/4	38	1/8	x	74	1/4	DP-50	15.9
<b>3430</b>	39	5/8	x	35	3/4	40	1/8	x	36	1/4	DP-80	7.6
<b>3432</b>	39	5/8	x	37	3/4	40	1/8	x	38	1/4	DP-80	8.1
<b>3438</b>	39	5/8	x	43	3/4	40	1/8	x	44	1/4	DP-80	9.6
<b>3440</b>	39	5/8	x	47	3/4	40	1/8	x	48	1/4	DP-80	10.5
<b>3442</b>	39	5/8	x	49	3/4	40	1/8	x	50	1/4	DP-50	11.0
<b>3446</b>	39	5/8	x	53	3/4	40	1/8	x	54	1/4	DP-50	12.0
<b>3450</b>	39	5/8	x	59	3/4	40	1/8	x	60	1/4	DP-50	13.5
<b>3452</b>	39	5/8	x	61	3/4	40	1/8	x	62	1/4	DP-50	14.0

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions			Rough Opening			DP Rating	Daylight		
	Width		Height	Width		Height				
3456	39	5/8	x 65	3/4	40	1/8	x 66	1/4	DP-50	14.9
3460	39	5/8	x 71	3/4	40	1/8	x 72	1/4	DP-50	16.4
3462	39	5/8	x 73	3/4	40	1/8	x 74	1/4	DP-50	16.9
3630	41	5/8	x 35	3/4	42	1/8	x 36	1/4	DP-80	8.1
3632	41	5/8	x 37	3/4	42	1/8	x 38	1/4	DP-80	8.6
3638	41	5/8	x 43	3/4	42	1/8	x 44	1/4	DP-80	10.1
3640	41	5/8	x 47	3/4	42	1/8	x 48	1/4	DP-80	11.2
3642	41	5/8	x 49	3/4	42	1/8	x 50	1/4	DP-50	11.7
3646	41	5/8	x 53	3/4	42	1/8	x 54	1/4	DP-50	12.7
3650	41	5/8	x 59	3/4	42	1/8	x 60	1/4	DP-50	14.2
3652	41	5/8	x 61	3/4	42	1/8	x 62	1/4	DP-50	14.8
3656	41	5/8	x 65	3/4	42	1/8	x 66	1/4	DP-50	15.8
3660	41	5/8	x 71	3/4	42	1/8	x 72	1/4	DP-50	17.3
3662	41	5/8	x 73	3/4	42	1/8	x 74	1/4	DP-50	17.9
211030	43	1/4	x 35	3/4	43	3/4	x 36	1/4	DP-80	8.4
211032	43	1/4	x 37	3/4	43	3/4	x 38	1/4	DP-80	8.9
211038	43	1/4	x 43	3/4	43	3/4	x 44	1/4	DP-80	10.6
211040	43	1/4	x 47	3/4	43	3/4	x 48	1/4	DP-80	11.6
211042	43	1/4	x 49	3/4	43	3/4	x 50	1/4	DP-50	12.2
211046	43	1/4	x 53	3/4	43	3/4	x 54	1/4	DP-50	13.3
211050	43	1/4	x 59	3/4	43	3/4	x 60	1/4	DP-50	14.9
211052	43	1/4	x 61	3/4	43	3/4	x 62	1/4	DP-50	15.4
211056	43	1/4	x 65	3/4	43	3/4	x 66	1/4	DP-50	16.5
211060	43	1/4	x 71	3/4	43	3/4	x 72	1/4	DP-50	18.1
211062	43	1/4	x 73	3/4	43	3/4	x 74	1/4	DP-50	18.6
3830	43	5/8	x 35	3/4	44	1/8	x 36	1/4	DP-80	8.5
3832	43	5/8	x 37	3/4	44	1/8	x 38	1/4	DP-80	9.0
3838	43	5/8	x 43	3/4	44	1/8	x 44	1/4	DP-80	10.7
3840	43	5/8	x 47	3/4	44	1/8	x 48	1/4	DP-80	11.8
3842	43	5/8	x 49	3/4	44	1/8	x 50	1/4	DP-50	12.3
3846	43	5/8	x 53	3/4	44	1/8	x 54	1/4	DP-50	13.4
3850	43	5/8	x 59	3/4	44	1/8	x 60	1/4	DP-50	15.0

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions				Rough Opening				DP Rating			
	Width		Height		Width		Height		Equal	Daylight		
3852	43	5/8	x	61	3/4	44	1/8	x	62	1/4	DP-50	15.6
3856	43	5/8	x	65	3/4	44	1/8	x	66	1/4	DP-50	16.6
3860	43	5/8	x	71	3/4	44	1/8	x	72	1/4	DP-50	18.3
3862	43	5/8	x	73	3/4	44	1/8	x	74	1/4	DP-50	18.8
31030	45	5/8	x	35	3/4	46	1/8	x	36	1/4	DP-80	8.9
31032	45	5/8	x	37	3/4	46	1/8	x	38	1/4	DP-80	9.5
31038	45	5/8	x	43	3/4	46	1/8	x	44	1/4	DP-80	11.2
31040	45	5/8	x	47	3/4	46	1/8	x	48	1/4	DP-80	12.4
31042	45	5/8	x	49	3/4	46	1/8	x	50	1/4	DP-50	12.9
31046	45	5/8	x	53	3/4	46	1/8	x	54	1/4	DP-50	14.1
31050	45	5/8	x	59	3/4	46	1/8	x	60	1/4	DP-50	15.8
31052	45	5/8	x	61	3/4	46	1/8	x	62	1/4	DP-50	16.4
31056	45	5/8	x	65	3/4	46	1/8	x	66	1/4	DP-50	17.5
31060	45	5/8	x	71	3/4	46	1/8	x	72	1/4	DP-50	19.2
31062	45	5/8	x	73	3/4	46	1/8	x	74	1/4	DP-50	19.8
22030	47	1/4	x	35	3/4	47	3/4	x	36	1/4	DP-80	9.3
22032	47	1/4	x	37	3/4	47	3/4	x	38	1/4	DP-80	9.9
22038	47	1/4	x	43	3/4	47	3/4	x	44	1/4	DP-80	11.7
22040	47	1/4	x	47	3/4	47	3/4	x	48	1/4	DP-80	12.8
22042	47	1/4	x	49	3/4	47	3/4	x	50	1/4	DP-50	13.4
22046	47	1/4	x	53	3/4	47	3/4	x	54	1/4	DP-50	14.6
22050	47	1/4	x	59	3/4	47	3/4	x	60	1/4	DP-50	16.4
22052	47	1/4	x	61	3/4	47	3/4	x	62	1/4	DP-50	17.0
22056	47	1/4	x	65	3/4	47	3/4	x	66	1/4	DP-50	18.2
22060	47	1/4	x	71	3/4	47	3/4	x	72	1/4	DP-50	20.0
22062	47	1/4	x	73	3/4	47	3/4	x	74	1/4	DP-50	20.6
4030	47	5/8	x	35	3/4	48	1/8	x	36	1/4	DP-80	9.4
4032	47	5/8	x	37	3/4	48	1/8	x	38	1/4	DP-80	10.0
4038	47	5/8	x	43	3/4	48	1/8	x	44	1/4	DP-80	11.8
4040	47	5/8	x	47	3/4	48	1/8	x	48	1/4	DP-80	13.0
4042	47	5/8	x	49	3/4	48	1/8	x	50	1/4	DP-50	13.6
4046	47	5/8	x	53	3/4	48	1/8	x	54	1/4	DP-50	14.7

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions			Rough Opening			DP Rating	Daylight
	Width		Height	Width		Height		
4050	47	5/8 x	59 3/4	48	1/8 x	60 1/4	DP-50	16.5
4052	47	5/8 x	61 3/4	48	1/8 x	62 1/4	DP-50	17.1
4056	47	5/8 x	65 3/4	48	1/8 x	66 1/4	DP-50	18.3
4060	47	5/8 x	71 3/4	48	1/8 x	72 1/4	DP-50	20.1
4062	47	5/8 x	73 3/4	48	1/8 x	74 1/4	DP-50	20.7
22230	51	1/4 x	35 3/4	51	3/4 x	36 1/4	DP-50	10.1
22232	51	1/4 x	37 3/4	51	3/4 x	38 1/4	DP-50	10.8
22238	51	1/4 x	43 3/4	51	3/4 x	44 1/4	DP-50	12.7
22240	51	1/4 x	47 3/4	51	3/4 x	48 1/4	DP-50	14.0
22242	51	1/4 x	49 3/4	51	3/4 x	50 1/4	DP-50	14.7
22246	51	1/4 x	53 3/4	51	3/4 x	54 1/4	DP-50	16.0
22250	51	1/4 x	59 3/4	51	3/4 x	60 1/4	DP-50	17.9
22252	51	1/4 x	61 3/4	51	3/4 x	62 1/4	DP-50	18.6
22256	51	1/4 x	65 3/4	51	3/4 x	66 1/4	DP-50	19.9
22260	-		-	-		-	-	-
22262	-		-	-		-	-	-
22430	55	1/4 x	35 3/4	55	3/4 x	36 1/4	DP-50	11.0
22432	55	1/4 x	37 3/4	55	3/4 x	38 1/4	DP-50	11.7
22438	55	1/4 x	43 3/4	55	3/4 x	44 1/4	DP-50	13.8
22440	55	1/4 x	47 3/4	55	3/4 x	48 1/4	DP-50	15.2
22442	55	1/4 x	49 3/4	55	3/4 x	50 1/4	DP-50	15.9
22446	55	1/4 x	53 3/4	55	3/4 x	54 1/4	DP-50	17.4
22450	55	1/4 x	59 3/4	55	3/4 x	60 1/4	DP-50	19.5
22452	55	1/4 x	61 3/4	55	3/4 x	62 1/4	DP-50	20.2
22456	-		-	-		-	-	-
22460	-		-	-		-	-	-
22462	-		-	-		-	-	-
22630	59	1/4 x	35 3/4	59	3/4 x	36 1/4	DP-50	11.9
22632	59	1/4 x	37 3/4	59	3/4 x	38 1/4	DP-50	12.6
22638	59	1/4 x	43 3/4	59	3/4 x	44 1/4	DP-50	14.9
22640	59	1/4 x	47 3/4	59	3/4 x	48 1/4	DP-50	16.4
22642	59	1/4 x	49 3/4	59	3/4 x	50 1/4	DP-50	17.2

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions		Rough Opening		DP Rating	Daylight
	Width	Height	Width	Height		
22646	59 1/4	x 53 3/4	59 3/4	x 54 1/4	DP-50	18.7
22650	59 1/4	x 59 3/4	59 3/4	x 60 1/4	DP-50	21.0
22652	59 1/4	x 61 3/4	59 3/4	x 62 1/4	DP-50	21.8
22656	-	-	-	-	-	-
22660	-	-	-	-	-	-
22662	-	-	-	-	-	-
5030	59 5/8	x 35 3/4	60 1/8	x 36 1/4	DP-50	12.0
5032	59 5/8	x 37 3/4	60 1/8	x 38 1/4	DP-50	12.7
5038	59 5/8	x 43 3/4	60 1/8	x 44 1/4	DP-50	15.0
5040	59 5/8	x 47 3/4	60 1/8	x 48 1/4	DP-50	16.6
5042	59 5/8	x 49 3/4	60 1/8	x 50 1/4	DP-50	17.3
5046	59 5/8	x 53 3/4	60 1/8	x 54 1/4	DP-50	18.9
5050	59 5/8	x 59 3/4	60 1/8	x 60 1/4	DP-50	21.2
5052	59 5/8	x 61 3/4	60 1/8	x 62 1/4	DP-50	21.9
5056	59 5/8	x 65 3/4	60 1/8	x 66 1/4	DP-50	23.4
5060	59 5/8	x 71 3/4	60 1/8	x 72 1/4	DP-50	25.7
5062	59 5/8	x 73 3/4	60 1/8	x 74 1/4	DP-50	26.5
22830	63 1/4	x 35 3/4	63 3/4	x 36 1/4	NT	12.7
22832	63 1/4	x 37 3/4	63 3/4	x 38 1/4	NT	13.6
22838	63 1/4	x 43 3/4	63 3/4	x 44 1/4	NT	16.0
22840	63 1/4	x 47 3/4	63 3/4	x 48 1/4	NT	17.6
22842	63 1/4	x 49 3/4	63 3/4	x 50 1/4	NT	18.5
22846	63 1/4	x 53 3/4	63 3/4	x 54 1/4	NT	20.1
221030	67 1/4	x 35 3/4	67 3/4	x 36 1/4	NT	13.6
221032	67 1/4	x 37 3/4	67 3/4	x 38 1/4	NT	14.5
221038	67 1/4	x 43 3/4	67 3/4	x 44 1/4	NT	17.1
221040	67 1/4	x 47 3/4	67 3/4	x 48 1/4	NT	18.8
221042	67 1/4	x 49 3/4	67 3/4	x 50 1/4	NT	19.7
6030	85 5/8	x 35 3/4	86 1/8	x 36 1/4	NT	17.6
6032	85 5/8	x 37 3/4	86 1/8	x 38 1/4	NT	18.7
6038	85 5/8	x 43 3/4	86 1/8	x 44 1/4	NT	22.1
6040	85 5/8	x 47 3/4	86 1/8	x 48 1/4	NT	24.4

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications

Code	Dimensions				Rough Opening				DP Rating			
	Width		Height		Width		Height		Equal	Daylight		
<b>6042</b>	85	5/8	x	49	3/4	86	1/8	x	50	1/4	NT	25.5
<b>6046</b>	85	5/8	x	53	3/4	86	1/8	x	54	1/4	NT	27.7
<b>6050</b>	85	5/8	x	59	3/4	86	1/8	x	60	1/4	NT	31.1
<b>6052</b>	59	5/8	x	61	3/4	60	1/8	x	62	1/4	NT	21.9
<b>6056</b>	59	5/8	x	65	3/4	60	1/8	x	66	1/4	NT	23.4
<b>6060</b>	59	5/8	x	71	3/4	60	1/8	x	72	1/4	NT	25.7
<b>6062</b>	59	5/8	x	73	3/4	60	1/8	x	74	1/4	NT	26.5

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Window

### Product Specifications - Daylight and Design Pressure

Window		Width 10 to 210										
Height	Code	Unit Dimension		10	18	110	20	22	24	26	28	210
				12	19 5/8	21 5/8	23 5/8	25 5/8	27 5/8	29 5/8	31 5/8	33 5/8
			Rough Opening	12 1/2	20 1/8	22 1/8	24 1/8	26 1/8	28 1/8	30 1/8	32 1/8	34 1/8
30	35 3/4	36 1/4	Daylight	1.6	3.3	3.7	4.2	4.6	5.0	5.5	5.9	6.3
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
32	37 3/4	38 1/4	Daylight	1.7	3.5	4.0	4.4	4.9	5.3	5.8	6.3	6.7
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
38	43 3/4	44 1/4	Daylight	2.0	4.1	4.7	5.2	5.8	6.3	6.8	7.4	7.9
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
40	47 3/4	48 1/4	Daylight	2.3	4.5	5.1	5.7	6.3	6.9	7.5	8.1	8.7
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
42	49 3/4	50 1/4	Daylight	2.4	4.8	5.4	6.0	6.6	7.3	7.9	8.5	9.2
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
46	53 3/4	54 1/4	Daylight	2.6	5.2	5.9	6.5	7.2	7.9	8.6	9.3	10.0
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
50	59 3/4	60 1/4	Daylight	2.9	5.8	6.6	7.3	8.1	8.9	9.6	10.4	11.2
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
52	61 3/4	62 1/4	Daylight	3.0	6.0	6.8	7.6	8.4	9.2	10.0	10.8	11.6
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
56	65 3/4	66 1/4	Daylight	3.2	6.4	7.3	8.1	9.0	9.8	10.7	11.5	12.4
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
60	71 3/4	72 1/4	Daylight	3.5	7.1	8.0	8.9	9.9	10.8	11.7	12.7	13.6
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
62	73 3/4	74 1/4	Daylight	3.6	7.3	8.2	9.2	10.2	11.1	12.1	13.0	14.0
			Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50

Test Window Dimensions:    48" x 48"                  DP-80  
    61 1/2" x 77"                  DP-50

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Wind

### Product Specifications - Daylight and Design Pressure

Window		Width 30 to 40											
Height	Code	Unit Dimension		30	32	34	36	2110	38	310	220	40	
	30	35 3/4	Rough Opening 36 1/4	35 5/8	37 5/8	39 5/8	41 5/8	43 1/4	43 5/8	45 5/8	47 1/4	47 5/8	
				36 1/8	38 1/8	40 1/8	42 1/8	43 3/4	44 1/8	46 1/8	47 3/4	48 1/8	
				Daylight	6.8	7.2	7.6	8.1	8.4	8.5	8.9	9.3	9.4
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
	32	37 3/4	38 1/4	Daylight	7.2	7.6	8.1	8.6	8.9	9.0	9.5	9.9	10.0
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
	38	43 3/4	44 1/4	Daylight	8.5	9.0	9.6	10.1	10.6	10.7	11.2	11.7	11.8
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
	40	47 3/4	48 1/4	Daylight	9.3	9.9	10.5	11.2	11.6	11.8	12.4	12.8	13.0
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
	42	49 3/4	50 1/4	Daylight	9.8	10.4	11.0	11.7	12.2	12.3	12.9	13.4	13.6
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
	46	53 3/4	54 1/4	Daylight	10.6	11.3	12.0	12.7	13.3	13.4	14.1	14.6	14.7
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
	50	59 3/4	60 1/4	Daylight	11.9	12.7	13.5	14.2	14.9	15.0	15.8	16.4	16.5
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
	52	61 3/4	62 1/4	Daylight	12.4	13.2	14.0	14.8	15.4	15.6	16.4	17.0	17.1
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
	56	65 3/4	66 1/4	Daylight	13.2	14.1	14.9	15.8	16.5	16.6	17.5	18.2	18.3
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
	60	71 3/4	72 1/4	Daylight	14.5	15.5	16.4	17.3	18.1	18.3	19.2	20.0	20.1
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50
	62	73 3/4	74 1/4	Daylight	15.0	15.9	16.9	17.9	18.6	18.8	19.8	20.6	20.7
				Design Pressure	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50	DP-50

Test Window Dimensions:    48" x 48"                  DP-80  
    61 1/2" x 77"                  DP-50

# Seven D Industries, L.P.

## Series 5800 Single Hung Picture Wind

### Product Specifications - Daylight and Design Pressure

Window		Width 222 to 60									
Height	Code	Unit Dimension		222	224	226	50	228	2210	60	
	30	35 3/4	Rough Opening	51 1/4	55 1/4	59 1/4	59 5/8	63 1/4	67 1/4	71 5/8	
			36 1/4	51 3/4	55 3/4	59 3/4	60 1/8	63 3/4	67 3/4	72 1/8	
			Daylight	10.1	11.0	11.9	12.0	12.7	13.6	14.6	
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NT	NT	NT	
	32	37 3/4	38 1/4	Daylight	10.8	11.7	12.6	12.7	13.6	14.5	15.5
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NT	NT	NT	
	38	43 3/4	44 1/4	Daylight	12.7	13.8	14.9	15.0	16.0	17.1	18.3
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NT	NT	NT	
	40	47 3/4	48 1/4	Daylight	14.0	15.2	16.4	16.6	17.6	18.8	20.2
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NT	NT	NT	
	42	49 3/4	50 1/4	Daylight	14.7	15.9	17.2	17.3	18.5	19.7	21.1
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NT	NT	NT	
	46	53 3/4	54 1/4	Daylight	16.0	17.4	18.7	18.9	20.1	23.0	
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NT	NA	NT	
	50	59 3/4	60 1/4	Daylight	17.9	19.5	21.0	21.2	25.8		
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NA	NA	NT	
	52	61 3/4	62 1/4	Daylight	18.6	20.2	21.8	21.9	26.7		
			Design Pressure	DP-50	DP-50	DP-50	DP-50	NA	NA	NT	
	56	65 3/4	66 1/4	Daylight	19.9			23.4	28.6		
			Design Pressure	DP-50	NA	NA	DP-50	NA	NT		
	60	71 3/4	72 1/4	Daylight				25.7	31.3		
			Design Pressure	NA	NA	NA	DP-50	NA	NT		
	62	73 3/4	74 1/4	Daylight				26.5	32.3		
			Design Pressure	NA	NA	NA	DP-50	NA	NT		

Test Window Dimensions: 48" x 48" DP-80  
 61 1/2" x 77" DP-50

**Seven D Industries, L.P.**  
**Series 5800 Single Hung Picture Window**

**Thermal Performance Specifications**

**SSB Glazing**

Glass Type	U-Value	SHGC	VT	w/ Grid	
				SHGC	VT
3/4" IG -Clear/Air/Clear	.47	.66	.69	.60	.62
3/4" IG – Clear/90% Argon/Low-E	.29	.41	.58	.37	.52

**DSB Glazing**

Glass Type	U-Value	SHGC	VT	w/ Grid	
				SHGC	VT
3/4" IG -Clear/Air/Clear	.47	.65	.69	.59	.62
3/4" IG – Clear/90% Argon/Low-E	.28	.40	.58	.36	.52

Notes: Actual window dimensions have not effect on the Thermal Performance Rating, as the test criteria is based on a per square foot unit.

Seven D Industries, Series 5800 Single Hung Picture Windows utilizing Low-E Glass with Argon Fill, meet all requirements for Energy Star compliance.

**Seven D Industries, L.P.**  
**Series 5800 SH Transom Window**  
**Product Specifications**

Code	Dimensions		Rough Opening		DP Rating	Daylight
	Width	Height	Width	Height		
1810	19 5/8	x 12	20 1/8	x 12 1/2	DP-80	0.8
1816	19 5/8	x 17 3/4	20 1/8	x 18 1/4	DP-80	1.4
1817	19 5/8	x 19	20 1/8	x 19 1/2	DP-80	1.5
1820	19 5/8	x 23 3/4	20 1/8	x 24 1/4	DP-80	2.0
1821	19 5/8	x 25	20 1/8	x 25 1/2	DP-80	2.2
11010	21 5/8	x 12	22 1/8	x 12 1/2	DP-80	0.9
11016	21 5/8	x 17 3/4	22 1/8	x 18 1/4	DP-80	1.6
11017	21 5/8	x 19	22 1/8	x 19 1/2	DP-80	1.7
11020	21 5/8	x 23 3/4	22 1/8	x 24 1/4	DP-80	2.3
11021	21 5/8	x 25	22 1/8	x 25 1/2	DP-80	2.4
2010	23 5/8	x 12	24 1/8	x 12 1/2	DP-80	1.0
2016	23 5/8	x 17 3/4	24 1/8	x 18 1/4	DP-80	1.8
2017	23 5/8	x 19	24 1/8	x 19 1/2	DP-80	1.9
2020	23 5/8	x 23 3/4	24 1/8	x 24 1/4	DP-80	2.6
2021	23 5/8	x 25	24 1/8	x 25 1/2	DP-80	2.7
2210	25 5/8	x 12	26 1/8	x 12 1/2	DP-80	1.1
2216	25 5/8	x 17 3/4	26 1/8	x 18 1/4	DP-80	1.9
2217	25 5/8	x 19	26 1/8	x 19 1/2	DP-80	2.1
2220	25 5/8	x 23 3/4	26 1/8	x 24 1/4	DP-80	2.8
2221	25 5/8	x 25	26 1/8	x 25 1/2	DP-80	3.0
2410	27 5/8	x 12	28 1/8	x 12 1/2	DP-80	1.2
2416	27 5/8	x 17 3/4	28 1/8	x 18 1/4	DP-80	2.1
2417	27 5/8	x 19	28 1/8	x 19 1/2	DP-80	2.3
2420	27 5/8	x 23 3/4	28 1/8	x 24 1/4	DP-80	3.1
2421	27 5/8	x 25	28 1/8	x 25 1/2	DP-80	3.3
2610	29 5/8	x 12	30 1/8	x 12 1/2	DP-80	1.3
2616	29 5/8	x 17 3/4	30 1/8	x 18 1/4	DP-80	2.3
2617	29 5/8	x 19	30 1/8	x 19 1/2	DP-80	2.5
2620	29 5/8	x 23 3/4	30 1/8	x 24 1/4	DP-80	3.4
2621	29 5/8	x 25	30 1/8	x 25 1/2	DP-80	3.6
2810	31 5/8	x 12	32 1/8	x 12 1/2	DP-80	1.4
2816	31 5/8	x 17 3/4	32 1/8	x 18 1/4	DP-80	2.5
2817	31 5/8	x 19	32 1/8	x 19 1/2	DP-80	2.7
2820	31 5/8	x 23 3/4	32 1/8	x 24 1/4	DP-80	3.6
2821	31 5/8	x 25	32 1/8	x 25 1/2	DP-80	3.9
21020	33 5/8	x 12	34 1/8	x 12 1/2	DP-80	1.5
21016	33 5/8	x 17 3/4	34 1/8	x 18 1/4	DP-80	2.7
21017	33 5/8	x 19	34 1/8	x 19 1/2	DP-80	2.9
21020	33 5/8	x 23 3/4	34 1/8	x 24 1/4	DP-80	3.9
21021	33 5/8	x 25	34 1/8	x 25 1/2	DP-80	4.1
3010	35 5/8	x 12	36 1/8	x 12 1/2	DP-80	1.6
3016	35 5/8	x 17 3/4	36 1/8	x 18 1/4	DP-80	2.9
3017	35 5/8	x 19	36 1/8	x 19 1/2	DP-80	3.1
3020	35 5/8	x 23 3/4	36 1/8	x 24 1/4	DP-80	4.2

**Seven D Industries, L.P.**  
**Series 5800 SH Transom Window**  
**Product Specifications**

Code	Dimensions			Rough Opening			DP Rating	
	Width	Height		Width	Height		Equal	Daylight
<b>3021</b>	35 5/8	x	25	36 1/8	x	25 1/2	DP-80	4.4
<b>3210</b>	37 5/8	x	12	38 1/8	x	12 1/2	DP-80	1.7
<b>3216</b>	37 5/8	x	17 3/4	38 1/8	x	18 1/4	DP-80	3.0
<b>3217</b>	37 5/8	x	19	38 1/8	x	19 1/2	DP-80	3.3
<b>3220</b>	37 5/8	x	23 3/4	38 1/8	x	24 1/4	DP-80	4.4
<b>3221</b>	37 5/8	x	25	38 1/8	x	25 1/2	DP-80	4.7
<b>3410</b>	39 5/8	x	12	40 1/8	x	12 1/2	DP-80	1.8
<b>3416</b>	39 5/8	x	17 3/4	40 1/8	x	18 1/4	DP-80	3.2
<b>3417</b>	39 5/8	x	19	40 1/8	x	19 1/2	DP-80	3.5
<b>3420</b>	39 5/8	x	23 3/4	40 1/8	x	24 1/4	DP-80	4.7
<b>3421</b>	39 5/8	x	25	40 1/8	x	25 1/2	DP-80	5.0
<b>3610</b>	41 5/8	x	12	42 1/8	x	12 1/2	DP-80	1.9
<b>3616</b>	41 5/8	x	17 3/4	42 1/8	x	18 1/4	DP-80	3.4
<b>3617</b>	41 5/8	x	19	42 1/8	x	19 1/2	DP-80	3.7
<b>3620</b>	41 5/8	x	23 3/4	42 1/8	x	24 1/4	DP-80	5.0
<b>3621</b>	41 5/8	x	25	42 1/8	x	25 1/2	DP-80	5.3
<b>3810</b>	43 5/8	x	12	44 1/8	x	12 1/2	DP-80	2.0
<b>3816</b>	43 5/8	x	17 3/4	44 1/8	x	18 1/4	DP-80	3.6
<b>3817</b>	43 5/8	x	19	44 1/8	x	19 1/2	DP-80	3.9
<b>3820</b>	43 5/8	x	23 3/4	44 1/8	x	24 1/4	DP-80	5.2
<b>3821</b>	43 5/8	x	25	44 1/8	x	25 1/2	DP-80	5.6

# Seven D Industries, L.P.

## Series 5800 SH Transom Window

### Product Specifications - Daylight and Design Pressure

Window		18	110	20	22	24	26	28	210		
Height	Code	19 5/8	21 5/8	23 5/8	25 5/8	27 5/8	29 5/8	31 5/8	33 5/8		
	Unit Dimension	20 1/8	22 1/8	24 1/8	26 1/8	28 1/8	30 1/8	32 1/8	34 1/8		
10	12	12 1/2	Daylight	0.8	0.9	1.0	1.1	1.2	1.3	1.4	1.5
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
16	17 3/4	18 1/4	Daylight	1.4	1.6	1.8	1.9	2.1	2.3	2.5	2.7
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
17	19	19 1/2	Daylight	1.5	1.7	1.9	2.1	2.3	2.5	2.7	2.9
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
20	23 3/4	24 1/4	Daylight	2.0	2.3	2.6	2.8	3.1	3.4	3.6	3.9
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
21	25	25 1/2	Daylight	2.2	2.4	2.7	3.0	3.3	3.6	3.9	4.1
			Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80

Test Window Dimensions: 48" x 48" DP-80  
 61 1/2" x 77" DP-50

# Seven D Industries, L.P.

## Series 5800 SH Transom Window

### Product Specifications - Daylight and Design Pressure

Window		Width 30 to 40								
Height	Code	Unit Dimension		30	32	34	36	38	310	
			Rough Opening							
10	12	12 1/2	12 1/2	Daylight	1.6	1.7	1.8	1.9	2.0	2.1
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
16	17 3/4	18 1/4	18 1/4	Daylight	2.9	3.0	3.2	3.4	3.6	3.8
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
17	19	19 1/2	19 1/2	Daylight	3.1	3.3	3.5	3.7	3.9	4.1
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
20	23 3/4	24 1/4	24 1/4	Daylight	4.2	4.4	4.7	5.0	5.2	5.5
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80
21	25	25 1/2	25 1/2	Daylight	4.4	4.7	5.0	5.3	5.6	5.9
				Design Pressure	DP-80	DP-80	DP-80	DP-80	DP-80	DP-80

Test Window Dimensions:    48" x 48"                    DP-80  
    61 1/2" x 77"                    DP-50

**Seven D Industries, L.P.**  
**Series 5800 SH Transom Window**

**Thermal Performance Specifications**

**SSB Glazing**

Glass Type	U-Value	SHGC	VT	w/ Grid	
				SHGC	VT
3/4" IG -Clear/Air/Clear	.47	.66	.69	.60	.62
3/4" IG – Clear/90% Argon/Low-E	.29	.41	.58	.37	.52

**DSB Glazing**

Glass Type	U-Value	SHGC	VT	w/ Grid	
				SHGC	VT
3/4" IG -Clear/Air/Clear	.47	.65	.69	.59	.62
3/4" IG – Clear/90% Argon/Low-E	.28	.40	.58	.36	.52

Notes: Actual window dimensions have not effect on the Thermal Performance Rating, as the test criteria is based on a per square foot unit.

Seven D Industries, Series 5800 Single Hung Transom Windows utilizing Low-E Glass with Argon Fill, meet all requirements for Energy Star compliance.